



Decorative Metal Wiring Accessories





## Decorative Metal Wiring Accessories in Assorted Plate Finishes

A comprehensive range of decorative metal wiring accessories now available under the single Deco® brand. A brand that is synonymous with high specification, high quality, long life and unprecedented value for money.

Each product is supplied individually packaged in its own distinctive printed box complete with comprehensive fitting instructions.

Deco® switches feature the same modular switch design as our moulded ranges. All of the switch modules featured in our dedicated modules brochure can therefore be used in any combination on Deco® accessories.

Deco® plates are manufactured from stainless steel. All Deco® 13A sockets and fused connection units are tested and approved to BS1363 offering assured quality and safety.



## 20 Year Warranty

All Deco® products are covered by our 20 year warranty against any fault in materials or manufacture experienced at any time within 20 years of the date of supply.

Every Deco® product featured in the pages of this brochure are available in 9 distinctive quality finishes.

All Deco® products are available with black or white inserts.

*(Excluding antique brass, black nickel & matt black finishes which are supplied with black insert and gasket only).*

A selection of Stainless Steel and Satin Chrome finishes are now available with grey inserts.



Antique Brass\*  
(AB)




Black Nickel  
(BN)



Polished Chrome  
(CH)



Stainless Steel  
(SS)



Satin Brass\*  
(SB)



Pearl Nickel  
(PN)



Polished Brass  
(BR)



Satin Chrome\*  
(SC)



Matt Black (Ingot Only)  
(MB)

## Deco® unique product codes

When ordering any Deco® products, please specify the required finish by following the simple code structure as demonstrated here.




Plate Style   Product Finish   Product Number   Insert Colour

## Contents

Switches	D5
Yokes & Back Boxes	D9
Power Socket Outlets	D14
Fused Connection Units	D18
Control Switches	D20
Socket & Blank Plates	D25
Telephone Outlets	D28
TV & Satellite	D29
New Media™ Plates	D30
Galvanised Boxes	D31
Dry Lining Boxes	D32

# Switches

Please see page K18 for a selection of MiniGrid® modules.



011 | 025

012

013



019



105



Switch modules interchangeable with MiniGrid® Modules  
For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

### Plates Switches - MiniGrid®

- 011 10AX 1 Gang 2 Way Plate Switch
- 012 10AX 2 Gang 2 Way Plate Switch
- 013 10AX 3 Gang 2 Way Plate Switch
- 019 10AX 4 Gang 2 Way Plate Switch
- 105 10AX 6 Gang 2 Way Plate Switch
- 025 10AX 1 Gang Intermediate Plate Switch

Standards: BS EN 60669-1

Back Box Depth (mm): 011 012 013 025: 16 105 019: 25 Cable Size (mm<sup>2</sup>): 4 x 1.5 or 2 x 2.5

Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,  
BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.

All Deco® switches are supplied complete with switch module(s). However the installer may customise a switch arrangement by substituting switch modules by means of a simple, single fixing screw.

All Deco® switch plates are modular as standard, allowing you to create virtually any switch plate you require. A comprehensive range of available modules is illustrated in the MiniGrid® section of this catalogue.

Unfurnished mounting plates can be ordered separately and furnished with whatever selection of switch modules may be required.




411 | 425

412

413



414



416



Switch modules interchangeable with MiniGrid® Modules  
For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

**Ingot Plates Switches - MiniGrid®**

- 411 10AX Ingot 1 Gang 2 Way Plate Switch
- 412 10AX Ingot 2 Gang 2 Way Plate Switch
- 413 10AX Ingot 3 Gang 2 Way Plate Switch
- 414 10AX Ingot 4 Gang 2 Way Plate Switch
- 416 10AX Ingot 6 Gang 2 Way Plate Switch
- 425 10AX Ingot 1 Gang Intermediate Plate Switch

**Standards:** BS EN 60669-1

**Back Box Depth (mm):** 411 412 413 425: 16 414 416: 25

**Cable Size (mm²):** 4 x 1.5 or 2 x 2.5

**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts

VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only),

BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



401

426

471

402

404

472

403

432



For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

These plates must be used with the dedicated architrave back boxes WA571 /WA572 and can only be flush mounted.  
See page D31.  
Not compatible with MD070 & MD075 Switch modules.

**Unfurnished Plates - MiniGrid®**

- 401 1 Gang MiniGrid® Unfurnished Plate - 1 Aperture
  - 402 1 Gang MiniGrid® Unfurnished Plate - 2 Apertures
  - 403 1 Gang MiniGrid® Unfurnished Plate - 3 Apertures
  - 404 2 Gang MiniGrid® Unfurnished Plate - 2 x 2 Apertures
  - 406 2 Gang MiniGrid® Unfurnished Plate - 2 x 3 Apertures
  - 426 2 Gang MiniGrid® Unfurnished Plate - 6 In-Line Apertures
  - 432 2 Gang MiniGrid® Unfurnished Plate - 3 Apertures
- Please note 432 is not available in BN, BR, PN or SB. See range of MiniGrid® Modules in the MiniGrid® section

**Architrave Switch Plates (Unfurnished)**

- 471 1 Gang MiniGrid® Unfurnished Architrave Plate - 1 Aperture
- 472 2 Gang MiniGrid® Unfurnished Architrave Plate - 2 Apertures

**Standards:** BS 5733

**Back Box Depth (mm):** Dependent On Modules Fitted 471 472: 25

**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 471: 35 (W) x 89 (H) x 8 (D) 472: 35 (W) x 149 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts

VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour


AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only),

BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.

D8




The furnished plate shown here contains a selection of both single and twin width MiniGrid® modules. GR100 yokes are required to mount the MiniGrid® modules into prior to assembling the frontplate.



512

**2 Tier Unfurnished Plates c/w Gaskets - MiniGrid®**

**512** 2 Tier MiniGrid® Unfurnished Plate - 12 Apertures  
2 x GR100 Yokes required, see page Dg



518

**3 Tier Unfurnished Plates c/w Gaskets - MiniGrid®**

**518** 3 Tier MiniGrid® Unfurnished Plate - 18 Apertures  
3 x GR100 Yokes required, see page Dg


**MINIGRID®**

If dimmer modules are to be mounted directly above each other, the MDg014 (page K37) or similar height dimmer modules must be installed. Alternatively, retractive switch modules MD004 (page K21) can be used in conjunction with Click Smart+ dimming receivers (page B22).

Standards: BS 5733  
Back Box Depth (mm): 47  
Dimensions (mm): 512: 146 (W) x 146 (H) x 8 (D) 518: 146 (W) x 227 (H) x 8 (D)


Understanding the code:  
VP - Plate Style BN - Plate Finish 011 - Product No. Please note: Supplied with both black & white gaskets (AB, BN & MB supplied with black gaskets only)  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only),  
BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.

D9



**MINIGRID®**

Galvanised steel back boxes supplied for flush mounting of the large MiniGrid® plates. Mounting Yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals.



GR100

WA512

WA518

**Yokes**

- GR100BK** MiniGrid® Module Yoke - 6 Apertures - Black
- GR100PW** MiniGrid® Module Yoke - 6 Apertures - White
- GR100GY** MiniGrid® Module Yoke - 6 Apertures - Grey

2 or 3 yokes are required based on the backbox selected.

**Galvanised Steel Back Boxes**

- WA512** 2 Tier 47mm Deep K.O. Box
- WA518** 3 Tier 47mm Deep K.O. Box

Standards: 512 518: BS 4662  
Dimensions (mm): GR100: 129 (W) x 55 (H) x 14 (D) 512: 137 (W) x 137 (H) x 47 (D) 518: 137 (W) x 197 (H) x 47 (D)



161



163



164



**Dimmer Switches (Trailing Edge)**

- 161** 1 Gang 2 Way 100W Dimmer Switch
- 162** 2 Gang 2 Way 100W Dimmer Switch
- 163** 3 Gang 2 Way 100W Dimmer Switch
- 164** 4 Gang 2 Way 100W Dimmer Switch

**Standards:** BS EN 60669-1 BS EN 60669-2-1 BS EN 55015 BS EN 61000-3-2  
**Type:** Trailing Edge  
**Back Box Depth (mm):** 25 **Cable Size (mm<sup>2</sup>):** 2 x 1.5  
**Dimensions (mm):** **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D)

**Understanding the code:**  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **Please note:** Supplied with both black & white gaskets (AB, BN & MB supplied with black gaskets only)  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.

**Dimmer Modules**

- MD9001** 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010** 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9014** 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

**Dimmer M10 Nut Runner**

- SP900** Dimmer M10 Nut Runner Tool


Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate



140PL




152PL



153PL



185



186


Dimmer Modules supplied separately

**Dimmer Mounting Unfurnished Plates**

- 140PL** 1 Gang Dimmer Plate & Knob (650W Max) - 1 Aperture
- 152PL** 2 Gang Dimmer Plate & Knobs (800W Max) - 2 Apertures
- 153PL** 2 Gang Dimmer Plate & Knobs (1200W Max) - 3 Apertures
- 154PL** 2 Gang Dimmer Plate & Knobs (1600W Max) - 4 Apertures
- 185** 2 Gang Dimmer Plate & Knob (1000W Max) - 1 Aperture
- 186** 2 Gang Dimmer Plate & Knobs (1630W Max) - 2 Apertures

**Standards:** BS 5733  
**Back Box Depth (mm):** 25 (35 Flat Plate)  
**Dimensions (mm):** **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D)

**Understanding the code:**  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **Please note:** Supplied with both black & white gaskets (AB, BN & MB supplied with black gaskets only)  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.



421

422

MD9125

423

424

MD9125 Intermediate module available.  
Satin Chrome & Stainless Steel plate finishes require the use of a Pearl Nickel (PN) Toggle Switch Module.  
Not interchangeable with dimmers or other MiniGrid® modules.

**Toggle Switches**

- 421 10AX 1 Gang 2 Way Toggle Switch
- 422 10AX 2 Gang 2 Way Toggle Switch
- 423 10AX 3 Gang 2 Way Toggle Switch
- 424 10AX 4 Gang 2 Way Toggle Switch

**10AX Intermediate Toggle Switch Modules**

- MD9125AB Intermediate Toggle Switch Module - Antique Brass
- MD9125BN Intermediate Toggle Switch Module - Black Nickel
- MD9125BR Intermediate Toggle Switch Module - Polished Brass
- MD9125CH Intermediate Toggle Switch Module - Polished Chrome
- MD9125PN Intermediate Toggle Switch Module - Pearl Nickel
- MD9125MB Intermediate Toggle Switch Module - Matt Black

Standards: BS EN 60669-1  
Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 4 x 1.5 or 2 x 2.5  
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:  
VP - Plate Style BN - Plate Finish 011 - Product No. Please note: Supplied with both black & white gaskets (AB, BN & MB supplied with black gaskets only)  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only),  
BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



With the ever increasing demand for power supplies in all areas of the home comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.

The 9 different Deco® plate finishes offer a solution for almost every possible design need and will enhance the décor of any area whether in a kitchen, bedroom, lounge or study etc...




771U

770

**Switched Sockets With USB Outlet**

- 771U 13A 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)
- 770 13A 2 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)



571U

570

**Ingot Switched Sockets With USB Outlet**

- 571U 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)
- 570 13A Ingot 2 Gang Switched Sockets With 2.1A USB Outlet (Twin Earth)

**Standards:** BS 1363-2: 2016 •A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1  
**Back Box Depth (mm):** 25 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only),  
 BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



785

786

**Switched Sockets With Twin USB Outlets**

- 780 13A 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth)
- 785 13A 1 Gang Switched Socket Outlet With Type A & C USB (4A) Outlets (Twin Earth)
- 786 13A 2 Gang Switched Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth)



585

586

**Ingot Switched Sockets With Twin USB Outlets**

- 580 13A Ingot 2 Gang Switched Sockets With Twin 2.1A USB Outlets (4.2A) (Twin Earth)
- 585 13A Ingot 1 Gang Switched Socket Outlet With Type A & C USB (4A) Outlets (Twin Earth)
- 586 13A Ingot 2 Gang Switched Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth)

**Standards:** BS 1363-2: 2016 •A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1  
**Back Box Depth (mm):** 25 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only),  
 BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



D16




**Switched Socket Outlets**

- 035 13A 1 Gang DP Switched Socket Outlet
- 036 13A 2 Gang DP Switched Socket (Twin Earth)



535



536

**Ingot Switched Socket Outlets**

- 535 13A Ingot 1 Gang DP Switched Socket Outlet
- 536 13A Ingot 2 Gang DP Switched Socket (Twin Earth)

**Standards:** BS 1363-2  
**Back Box Depth (mm):** 25 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **BK** - Insert Colour  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.

D17




**Round Pin Socket Outlets**

- 038 5A Round Pin Socket
- 039 2A Round Pin Socket



038




039

Safety Shuttered Sockets listed below are only available for sale in the Republic of Ireland.



1535



1536




1836

**Ingot Switched Safety Shutter Socket Outlets**

- 1535 13A Ingot 1 Gang DP Switched Socket Outlet
- 1536 13A Ingot 2 Gang DP Switched Socket Outlet (Twin Earth)
- 1836 13A Ingot 2 Gang DP Outboard Switched Socket Outlet (Twin Earth)

**Standards:** BS 1363-2 038 039: BS 546  
**Back Box Depth (mm):** 25 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 or 2 x 4 038: 3 x 1.5 039: 4 x 1.5 or 3 x 2.5  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **BK** - Insert Colour  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.



**Fused Connection Units With Optional Flex Outlet**

- 050 13A Fused Connection Unit
- 051 13A DP Switched Fused Connection Unit
- 052 13A DP Switched Fused Connection Unit With Neon
- 053 13A Fused Connection Unit With Neon



**Fused Connection Units Without Flex Outlet**

- 650 13A Fused Connection Unit
- 651 13A DP Switched Fused Connection Unit
- 652 13A DP Switched Fused Connection Unit With Neon
- 653 13A Fused Connection Unit With Neon


Standards: BS 1363-4 BS 1362  
 Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 3 x 2.5 or 2 x 4  
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only), BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



**Ingot Fused Connection Units With Optional Flex Outlet**

- 550 13A Ingot Fused Connection Unit
- 551 13A Ingot DP Switched Fused Connection Unit
- 552 13A Ingot DP Switched Fused Connection Unit With Neon
- 553 13A Ingot Fused Connection Unit With Neon



**Ingot Fused Connection Units Without Flex Outlet**

- 750 13A Ingot Fused Connection Unit
- 751 13A Ingot DP Switched Fused Connection Unit
- 752 13A Ingot DP Switched Fused Connection Unit With Neon
- 753 13A Ingot Fused Connection Unit With Neon

Standards: BS 1362  
 Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 3 x 2.5 or 2 x 4  
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only), BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.

3 Pole and 20A DP Switches are Non-Modular.



022

023

**20A Control Switches With Optional Flex Outlet**

- 022 20A DP Switch
- 023 20A DP Switch With Neon



622

623

**20A Control Switches Without Flex Outlet**

- 622 20A DP Switch
- 623 20A DP Switch With Neon



020

**Fan Isolation Switch**

- 020 10A 3 Pole Fan Isolation Switch

**Standards:** BS EN 60669-1 **020:** BS EN 60669-2-4  
**Back Box Depth (mm):** 25 **020:** 16 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 **020:** 4 x 1.5 or 2 x 2.5  
**Dimensions (mm):** 88 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP - Plate Style** **BN - Plate Finish** **011 - Product No.** **BK - Insert Colour**  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome,  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.

3 Pole and 20A DP Switches are Non-Modular.



522

523

**Ingot 20A Control Switches With Optional Flex Outlet**

- 522 20A Ingot DP Switch
- 523 20A Ingot DP Switch With Neon



722

723

**Ingot 20A Control Switches Without Flex Outlet**

- 722 20A Ingot DP Switch
- 723 20A Ingot DP Switch With Neon



520

**Ingot Fan Isolation Switch**

- 520 10A Ingot 3 Pole Fan Isolation Plate Switch

**Standards:** BS EN 60669-1 **520:** BS EN 60669-2-4  
**Back Box Depth (mm):** 25 **520:** 16 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 **520:** 4 x 1.5 or 2 x 2.5  
**Dimensions (mm):** 88 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP - Plate Style** **BN - Plate Finish** **011 - Product No.** **BK - Insert Colour**  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.



**45A Switches And Socket Outlets**

- 200 45A 1 Gang DP Switch
- 201 45A 1 Gang DP Switch With Neon
  
- 202 45A 2 Gang DP Switch
- 203 45A 2 Gang DP Switch With Neon
  
- 204 45A 2 Gang DP Switch With 13A DP Switched Socket
- 205 45A 2 Gang DP Switch With 13A DP Switched Socket & Neons

**Standards:** BS EN 60669-1 **204 205:** BS 4177  
**Back Box Depth (mm):** 35 **Cable Size (mm<sup>2</sup>):** 1 x 16  
**Dimensions (mm):** **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D) **202 203:** 88 (W) x 146 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **BK** - Insert Colour  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome,  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.



**Ingot 45A Switches And Socket Outlets**

- 500 45A Ingot 1 Gang DP Switch
- 501 45A Ingot 1 Gang DP Switch With Neon
  
- 502 45A Ingot 2 Gang DP Switch
- 503 45A Ingot 2 Gang DP Switch With Neon
  
- 504 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket
- 505 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket & Neons  
 Only available in selected finishes: CH, SC, AB, BN, PN, SS & MB

**Standards:** BS EN 60669-1 **504 505:** BS 4177  
**Back Box Depth (mm):** 35 **Cable Size (mm<sup>2</sup>):** 1 x 16  
**Dimensions (mm):** **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D) **502 503:** 88 (W) x 146 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **BK** - Insert Colour  
**AB** Antique Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel, **MB** Matt Black (Ingot Only).



660

**Lockable Switches**

**660** 20A Double Pole Key Lockable Switch



655

**Ingot Lockable Socket Outlets**

**655** 13A Ingot 1 Gang DP Key Lockable Socket With Neon



675

**Lockable Socket Outlets**

**675** 13A 1 Gang DP Key Lockable Socket With Neon

Two keys provided (Spare keys available: SP660).

**Standards:** 655 675: BS EN 60669-1 BS 1363-2 660: BS EN 60669-1  
**Back Box Depth (mm):** 35 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **BK** - Insert Colour  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.



**20A DP Sink/Bath Switch**

**024** 20A DP Sink/Bath Switch With Neon

**Dual Voltage Shaver Socket Outlet**

**100** 115/230V Dual Voltage Shaver Socket

Click® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5:2010 making it safe for use in bathrooms. Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.



060



061

**Blank Plates**

**060** 1 Gang Blank Plate

**061** 2 Gang Blank Plate

**Standards:** 024: BS EN 60669-1 100: BS EN IEC 61558-1 BS EN 61558-2-5  
**Back Box Depth (mm):** 024: 25 100: 47 **Cable Size (mm<sup>2</sup>):** 024: 3 x 2.5 100: 2 x 1.5 or 1 x 2.5  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 100: 88 (W) x 146 (H) x 8 (D)


**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. **BK** - Insert Colour  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.

A modern living room with a large window, a sofa, and a television mounted on the wall. The room is bathed in a teal light. The window offers a view of a city skyline. The sofa is a light-colored, modular piece. A television is mounted on the wall. The floor is made of light-colored wood. The overall aesthetic is clean and contemporary.

## TV & Telephone Sockets

The following pages contain details of Deco® products designed to deal with handling media transfer through telephone, computer, TV or radio.

As well as the finished products please also find details of unfurnished mounting plates designed to accept custom selections of New Media™ modules from the New Media™ section of this catalogue.



**RJ11 Telephone Outlet**

115 Single RJ11 (Irish/US) Outlet

**Telephone Outlets**

120 Single Telephone Outlet - Master

121 Twin Telephone Outlet - Master


125 Single Telephone Outlet - Secondary

126 Twin Telephone Outlet - Secondary

Twin outlets are 2 separate sockets and not internally linked together.

Back Box Depth (mm): 16 115: 35  
Termination Type: IDC 115: Screw  
Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only), BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



065 | 158

066 | 159

156

157 | 170



**Non-isolated Coaxial Outlets (Unshielded)**

065 Single Coaxial Outlet  
066 Twin Coaxial Outlet

**Isolated Coaxial Outlets (Unshielded)**

158 Single Isolated Coaxial Outlet  
159 Twin Isolated Coaxial Outlet

**Satellite Outlets (Unshielded)**

156 Non-isolated Single Satellite Outlet  
157 Isolated Satellite & Isolated Coaxial Outlet  
170 Non-isolated Satellite & Non-isolated Coaxial Outlet

Isolated outlets will filter out any interference, if a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

Back Box Depth (mm): 16  
Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

**Understanding the code:** Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, MB Matt Black (Ingot Only), BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



MP603

Selecting from a range of module inserts covering all manner of media transfer, the installer will now be able to configure their own arrangement of TV, radio or satellite reception, plus speaker, telephone and data outlets. All modules can be inserted into single or double wall plates, fitted onto standard switch and socket boxes.

**Half New Media Semi-Modular Part Furnished Plate**

**MP603** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures

Available in Chrome (CH), Satin Chrome (SC) Satin Brass (SB) and Polar White (PW). Requires MP520 flush back box.

**2 Tier Semi-Modular Unfurnished Plates**

**MP606** Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures

Available in Chrome (CH), Satin Chrome (SC) and Polar White (PW). / MP525 or MP535 flush back box.




MP606



310



311



312



See our dedicated New Media™ section for more information on the range of New Media™ modules available. For the complete range of semi-modular unfurnished plates see page L7.

**Unfurnished Plates - New Media™**

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

**Standards:** BS 5733 **603 606:** BS 1363-2

**Back Box Depth (mm):** Dependent On Modules Fitted **Cable Size (mm<sup>2</sup>):** **603 606:** 3 x 2.5 or 2 x 4

**Dimensions (mm):** **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D) **603:** 250 (W) x 86 (H) x 8 (D) **606:** 250 (W) x 216 (H) x 8 (D)

**Understanding the code:**

**VP** - Plate Style **BN** - Plate Finish **011** - Product No.  
**AB** Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **MB** Matt Black (Ingot Only),  
**BN** Black Nickel, **SS** Stainless Steel, **PN** Pearl Nickel.



**Galvanised Steel Back Boxes**

**WA093** 1 Gang 25mm Deep Galvanised Steel K.O. Box

**WA094** 2 Gang 25mm Deep Galvanised Steel K.O. Box

**WA095** 1 Gang 35mm Deep Galvanised Steel K.O. Box

**WA096** 2 Gang 35mm Deep Galvanised Steel K.O. Box

**WA097** 1 Gang 47mm Deep Galvanised Steel K.O. Box

**WA370** 1 + 1 35mm Deep Dual Accessory Box (Deco® Range Only)

**WA375** 1 + 2 35mm Deep Dual Accessory Box (Deco® Range Only)

**WA571** 1 Gang 25mm Deep Architrave Galvanised Steel K.O. Box (Deco® Range Only)

**WA572** 2 Gang 25mm Deep Architrave Galvanised Steel K.O. Box (Deco® Range Only)

**Longer Fixing Screws**

**SP650** Standard M3,5 Dia. 50mm Long Screws (Bag 100)

**SP675** Standard M3,5 Dia. 75mm Long Screws (Bag 100)


**SP625** Standard M3,5 Security Screw 25mm Long (Bag 100) Require 2mm security allen key/driver.

essentials™ For the complete range of back boxes see Essentials™ page N4. For the complete range of longer fixing screws see Essentials™ page Ng.


**Understanding the code:**

Screws available in **BR** Brass, **CH** Chrome, **MB** Matt Black and **BN** Black Nickel finishes. Suffix code with preferred finish. Chrome finish may be used with white plate accessories






WA4247



WA106P



WA107P

## FlameGuard® Dry Lining Boxes

- WA4135 1 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4147 1 Gang 47mm Deep FlameGuard® Dry Lining Box
- WA4235 2 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4247 2 Gang 47mm Deep FlameGuard® Dry Lining Box

## Dry Lining Boxes (Sprung Fixing Lugs)

- WA087SF 1 Gang 35mm Deep Dry Lining Box
- WA088SF 2 Gang 35mm Deep Dry Lining Box
- WA106SF 1 Gang 47mm Deep Dry Lining Box
- WA107SF 2 Gang 47mm Deep Dry Lining Box

## Dry Lining Boxes

- WA087P 1 Gang 35mm Deep Dry Lining Box
- WA088P 2 Gang 35mm Deep Dry Lining Box
- WA106P 1 Gang 47mm Deep Dry Lining Box
- WA107P 2 Gang 47mm Deep Dry Lining Box
- WA108P Round Ceiling 34mm Deep Dry Lining Box

## Spacer Gaskets

- VP095BK 1 Gang 10mm Spacer Gasket - Black
- VP095GY 1 Gang 10mm Spacer Gasket - Grey
- VP095WH 1 Gang 10mm Spacer Gasket - White
- VP096BK 2 Gang 10mm Spacer Gasket - Black
- VP096GY 2 Gang 10mm Spacer Gasket - Grey
- VP096WH 2 Gang 10mm Spacer Gasket - White

## Deco® Gaskets

- SP011 1 Gang Deco® Gasket - Black
- SP012 2 Gang Deco® Gasket - Black
- SP013 1 Gang Deco® Gasket - White
- SP014 2 Gang Deco® Gasket - White
- SP021 1 Gang Deco® Gasket - Grey
- SP022 2 Gang Deco® Gasket - Grey

essentials™

For the complete range of back boxes see Essentials™ page N4.

FlameGuard® back boxes have been tested and conform to both fire and acoustic BS EN standards. Fire: BS EN 1364-1 Acoustic: BS EN ISO 140-2. Complies with Building Regulations Fire tested up to 90 minutes with the capability of the boxes being mounted back to back.