



Premium Decorative Wiring Accessories



Premium Decorative Wiring Accessories

A comprehensive range of premium decorative metal wiring accessories is now available under the Deco Plus® brand. A brand that is synonymous with high specification, exceptional quality and unprecedented value.

The smooth contemporary curves of the Deco Plus® range are available in 8 finishes to complement any room.

Each product is supplied individually packaged in its own distinctive printed box complete with full fitting instructions.

Deco Plus® switches feature the same modular switch design as our moulded ranges. All of the switch modules featured in our MiniGrid® brochure can therefore be used in any combination on Deco Plus® accessories.

All Deco Plus® 13A sockets and fused connection units are tested and approved to BS1363 offering assured quality and safety.



20 Year Warranty

All Deco® Plus products are covered by our 20 year warranty against any fault in materials or manufacture experienced at any time within 20 years of the date of supply.



Antique Brass* (AB)



Satin Brass* (SB)



Satin Chrome* (SC)

All Deco Plus® products featured in the pages of this brochure are available in 8 distinctive quality finishes.



Black Nickel (BN)



Stainless Steel (SS)



Polished Chrome (CH)

All Deco Plus® products are available with Black or White Inserts.

(Excluding Antique Brass, Black Nickel & Matt Black finishes, which are supplied with Black Insert and Gasket only).

A selection of Stainless Steel and Satin Chrome finishes are now available with Grey Inserts.



Polished Brass (BR)



Matt Black (MB)

Deco® Plus unique product codes

When ordering any Deco® Plus products, please specify the required finish by following the simple code structure as demonstrated here.




Plate Style Product Finish Product Number Insert Colour

Contents

New Features	C7
Switches	C10
Yokes & Back Boxes	C19
Power Socket Outlets	C22
Socket & Blank Plates	C24
Fused Connection Units	C25
Control Switches	C26
Key Lockable Switch & Socket	C28
Telephone Outlets	C30
TV & Satellite	C31
New Media™ Plates	C33
Back Boxes	C34

AHEAD OF THE
CURVE



deco
PLUS 




New Features

...plus so much more

Attention to detail has been at the forefront of the design process for our newest range of wiring accessories. All aspects, no matter how small, have been taken into account and collectively create the elegant style that characterises Deco Plus®.



Every accessory within the range which contains a neon now has an insert surrounding the lens of the neon.



An attractive feature added to the Deco Plus® range is the profile of the cooker sockets. Instead of the traditional T-bar shape, our new range matches the profile of our inlet sockets.

Switches



Please see page K18 for a selection of MiniGrid® modules.

MINIGRID®

All Deco Plus® switches are supplied complete with requisite switch module(s). However, should local conditions dictate, the installer may customise a switch arrangement by substituting switch modules by means of a simple, single fixing screw.

A comprehensive range of available modules is illustrated in our dedicated MiniGrid® brochure.

Unfurnished mounting plates can be ordered separately and furnished with whatever selection of switch modules may be required.

All Deco Plus® switch plates are modular as standard, allowing you to create virtually any switch plate you require.



MINGRID® Switch modules interchangeable with MiniGrid® Modules.
For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

Ingot Plates Switches - MiniGrid®

- 411 10AX Ingot 1 Gang 2 Way Plate Switch
- 412 10AX Ingot 2 Gang 2 Way Plate Switch
- 413 10AX Ingot 3 Gang 2 Way Plate Switch
- 414 10AX Ingot 4 Gang 2 Way Plate Switch
- 416 10AX Ingot 6 Gang 2 Way Plate Switch
- 425 10AX Ingot 1 Gang Intermediate Plate Switch

Standards: BS EN 60669-1
Back Box Depth (mm): 1 Gang: 16 2 Gang: 25
Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.



MINGRID® For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

Unfurnished Plates - MiniGrid®

- 401 1 Gang MiniGrid® Unfurnished Plate - 1 Aperture
- 402 1 Gang MiniGrid® Unfurnished Plate - 2 Apertures
- 403 1 Gang MiniGrid® Unfurnished Plate - 3 Apertures
- 404 2 Gang MiniGrid® Unfurnished Plate - 2 x 2 Apertures
- 406 2 Gang MiniGrid® Unfurnished Plate - 2 x 3 Apertures
- 426 2 Gang MiniGrid® Unfurnished Plate - 6 In-Line Apertures

Architrave Unfurnished Plates - MiniGrid®

- 471 1 Gang MiniGrid® Unfurnished Architrave Plate - 1 Aperture
 - 472 2 Gang MiniGrid® Unfurnished Architrave Plate - 2 Apertures
- These plates must be used with the architrave back boxes WA671 / WA672 and can only be flush mounted.
Not compatible with MD070 & MD075 Switch modules.

Standards: BS 5733
Back Box Depth (mm): Dependent On Module Fitted
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)
Single architrave: 35 (W) x 88 (H) x 8 (D) **Twin architrave:** 35 (W) x 150 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.

Toggle Switches & Dimming



421



422



MD9125



423



424

MD9125 Intermediate module available.

Satin Chrome & Stainless Steel plate finishes require the use of a Pearl Nickel (PN) Toggle Switch Module. Not interchangeable with dimmers or other MiniGrid® modules.

Toggle Switches

- 421 10AX 1 Gang 2 Way Toggle Switch
- 422 10AX 2 Gang 2 Way Toggle Switch
- 423 10AX 3 Gang 2 Way Toggle Switch
- 424 10AX 4 Gang 2 Way Toggle Switch

10AX Intermediate Toggle Switch Modules

- MD9125AB Intermediate Toggle Switch Module - Antique Brass
 - MD9125BN Intermediate Toggle Switch Module - Black Nickel
 - MD9125BR Intermediate Toggle Switch Module - Polished Brass
 - MD9125CH Intermediate Toggle Switch Module - Polished Chrome
 - MD9125PN Intermediate Toggle Switch Module - Pearl Nickel
 - MD9125MB Intermediate Toggle Switch Module - Matt Black
- Toggle Modules only fit in existing toggle plates

A wide selection of toggle switches and dimmers for within your home.

Standards: BS EN 60669-1

Back Box Depth (mm): 25 Cable Size (mm²): 4 x 1.5 or 2 x 2.5

Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) Modules: 25 (W) x 62 (H) x 22 (D)

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, MB Matt Black.



Dimmer Switches (Trailing Edge)

- 161 1 Gang 2 Way 100W Dimmer Switch
- 162 2 Gang 2 Way 100W Dimmer Switch
- 163 3 Gang 2 Way 100W Dimmer Switch
- 164 4 Gang 2 Way 100W Dimmer Switch

Standards: BS EN 60669-1 BS EN 60669-2-1 BS EN 55015 BS EN 61000-3-2
Type: Trailing Edge
Back Box Depth (mm): 25 **Cable Size (mm²):** 2 x 1.5
Dimensions (mm): 1 & 2 Gang: 88 (W) x 88 (H) x 8 (D) 3 & 4 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No.
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.

Dimmer Modules

- MD9001 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9014 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

Dimmer M10 Nut Runner

- SP900 Dimmer M10 Nut Runner Tool

Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate



Dimmer Mounting Unfurnished Plates

- 140PL 1 Gang Dimmer Plate & Knob (650W Max) - 1 Aperture
- 152PL 2 Gang Dimmer Plate & Knobs (800W Max) - 2 Apertures
- 153PL 3 Gang Dimmer Plate & Knobs (1200W Max) - 3 Apertures
- 154PL 4 Gang Dimmer Plate & Knobs (1600W Max) - 4 Apertures
- 185 2 Gang Dimmer Plate & Knob (1000W Max) - 1 Aperture
- 186 2 Gang Dimmer Plate & Knobs (1630W Max) - 2 Apertures

Standards: BS 5733
Back Box Depth (mm): 25
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No.
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.


The furnished plate shown here contains a selection of both single and twin width MiniGrid® modules.
For the full range please see the MiniGrid® section.



512

2 Tier Unfurnished Plates c/w Gaskets - MiniGrid®

512 2 Tier MiniGrid® Unfurnished Plate - 12 Apertures
2 x GR100 Yokes required, see page C19



518

3 Tier Unfurnished Plates c/w Gaskets - MiniGrid®

518 3 Tier MiniGrid® Unfurnished Plate - 18 Apertures
3 x GR100 Yokes required, see page C19

MINIGRID®

If dimmer modules are to be mounted directly above each other, the MD9014 (page K37) or similar height dimmer modules must be installed. Alternatively, retractive switch modules MD004 (page K21) can be used in conjunction with Click Smart+ dimming receivers (page B22).

Standards: BS 5733
Back Box Depth (mm): 47
Dimensions (mm): 512: 146 (W) x 146 (H) x 8 (D) 518: 146 (W) x 227 (H) x 8 (D)


Understanding the code:
DP - Plate Style BN - Plate Finish 536 - Product No.
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, MB Matt Black.

Example of yoke furnished with modules



MINIGRID®

Galvanised steel back boxes supplied for flush mounting of the large MiniGrid® plates. Mounting Yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals.



GR100

WA512

WA518

Yokes

- GR100BK MiniGrid® Module Yoke - 6 Apertures - Black
- GR100PW MiniGrid® Module Yoke - 6 Apertures - White
- GR100GY MiniGrid® Module Yoke - 6 Apertures - Grey

2 or 3 yokes are required based on the backbox selected.

Galvanised Steel Back Boxes

- WA512 2 Tier 47mm Deep K.O. Box
- WA518 3 Tier 47mm Deep K.O. Box

Standards: 512 518: BS 4662
Dimensions (mm): 512: 137 (W) x 137 (H) x 47 (D) 518: 137 (W) x 197 (H) x 47 (D) 100: 129 (W) x 55 (H) x 14 (D)



Power Socket Outlets, Fused Connection Units & Control Switches

With the ever increasing demand for power supplies in all areas of the home, comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.


The eight different Deco Plus® plate finishes offer a solution for almost every possible design need and will enhance the décor of any area, whether in a kitchen, bedroom, lounge or study etc.



535



536



836

Ingot Switched Socket Outlets

- 535 13A Ingot 1 Gang DP Switched Socket
- 536 13A Ingot 2 Gang DP Switched Socket (Twin Earth)
- 836 13A Ingot 2 Gang DP Switched Socket With Outboard Rockers (Twin Earth)



1535



1536

Ingot Switched Safety Shutter Socket Outlets

- 1535 13A Ingot 1 Gang DP Switched Socket Outlet
- 1536 13A Ingot 2 Gang DP Switched Socket Outlet (Twin Earth)
- 1836 13A Ingot 2 Gang DP Outboard Switched Socket Outlet (Twin Earth)



1836

Safety Shuttered Sockets listed are only available for sale in the Republic of Ireland.

Standards: BS 1363-2
Back Box Depth (mm): 25
Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.



571U



570



580



586

Ingot Switched Sockets With USB Outlet

- 571U 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)
- 570 13A Ingot 2 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)

Ingot Switched Sockets With Twin USB Outlets

- 580 13A Ingot 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth)
- 585 13A Ingot 1 Gang Switched Socket Outlet With Type A & C USB (4A) Outlets (Twin Earth)
- 586 13A Ingot 2 Gang Switched Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth)



038



039

Round Pin Socket Outlets

- 038 5A Round Pin Socket
- 039 2A Round Pin Socket

Standards: BS 1363-2: 2016 *A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1 **038 039:** BS 546
Back Box Depth (mm): 25 **Cable Size (mm²):** 3 x 2.5 or 2 x 4 **038:** 4 x 1.5 or 3 x 2.5 **039:** 3 x 1.5
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.



20A DP Sink/Bath Switch

024 20A DP Sink/Bath Switch With Neon

Dual Voltage Shaver Socket Outlet

100 115/230V Dual Voltage Shaver Socket




Blank Plates

060 1 Gang Blank Plate

061 2 Gang Blank Plate

Standards: 024: BS EN 60669-1 060, 601: BS 5733 100: BS EN IEC 61558-1 BS EN 61558-2-5
Back Box Depth (mm): 024, 060: 16 061: 25 100: 47 **Cable Size (mm²):** 024: 3 x 2.5 100: 2 x 1.5 or 1 x 2.5
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 100: 88 (W) x 146 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
 DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour
 AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.



Ingot Fused Connection Units With Optional Flex Outlet

- 550 13A Ingot Fused Connection Unit
- 551 13A Ingot DP Switched Fused Connection Unit
- 552 13A Ingot DP Switched Fused Connection Unit With Neon
- 553 13A Ingot Fused Connection Unit With Neon



Ingot Fused Connection Units Without Flex Outlet

- 750 13A Ingot Fused Connection Unit
- 751 13A Ingot DP Switched Fused Connection Unit
- 752 13A Ingot DP Switched Fused Connection Unit With Neon
- 753 13A Ingot Fused Connection Unit With Neon

Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 25 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
 DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour
 AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.



520

Ingot Fan Isolation Switch

520 10A Ingot 3 Pole Fan Isolation Plate Switch

This Product Is Not Modular



522

523

722

723

Ingot 20A Control Switches With Optional Flex Outlet

522 20A Ingot DP Switch

523 20A Ingot DP Switch With Neon

Ingot 20A Control Switches Without Flex Outlet

722 20A Ingot DP Switch

723 20A Ingot DP Switch With Neon

Standards: BS EN 60669-1 BS EN 60669-2-4

Back Box Depth (mm): 10A: 16 20A: 25 **Cable Size (mm²):** 10A: 4 x 1.5 or 2 x 2.5 20A: 3 x 2.5

Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
 DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, MB Matt Black.



500

501

504



502

503

505

Ingot 45A Switches And Socket Outlets

500 45A Ingot 1 Gang DP Switch

501 45A Ingot 1 Gang DP Switch With Neon

502 45A Ingot 2 Gang DP Switch

503 45A Ingot 2 Gang DP Switch With Neon

504 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket

505 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket & Neons

Standards: 500 501 502 503: BS EN 60669-1 504 505: BS 4177

Back Box Depth (mm): 35 **Cable Size (mm²):** 45A: 1 x 16

Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 502 503: 88 (W) x 146 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
 DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, MB Matt Black.

C28



660

655


Two keys provided (Spare keys available: SP660).

Lockable Switches

660 20A Double Pole Key Lockable Switch

Ingot Lockable Socket Outlets

655 13A Ingot 1 Gang DP Key Lockable Socket With Neon



TV & Telephone Sockets

The following pages contain details of Deco Plus® products designed to deal with handling data and media transfer through telephone, computer, television or radio.

Standards: BS EN 60669-1 **655:** BS 1363-2
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.



Twin outlets are 2 separate sockets and are not internally linked together.

RJ11 Telephone Outlets

115 Single RJ11 (Irish/US) Outlet

Telephone Outlets

120 Single Telephone Outlet - Master 125 Single Telephone Outlet - Secondary
 121 Twin Telephone Outlet - Master 126 Twin Telephone Outlet - Secondary

Back Box Depth (mm): 16 115: 35
 Termination Type: IDC 115: Screw
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts. SC & SS Ingot are available with Grey Inserts
 DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, MB Matt Black.

Products on this page are not available with grey inserts.



Back Box Depth (mm): 16
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB, BN & MB are only available with Black inserts.
 DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, MB Matt Black.



Non-isolated Coaxial Outlets (Unshielded)

065 Single Coaxial Outlet
 066 Twin Coaxial Outlet

Isolated Coaxial Outlets (Unshielded)

158 Single Isolated Coaxial Outlet
 159 Twin Isolated Coaxial Outlet

Satellite Outlets (Unshielded)

156 Non-isolated Single Satellite Outlet
 157 Isolated Satellite & Isolated Coaxial Outlet
 170 Non-isolated Satellite & Non-isolated Coaxial Outlet

Isolated outlets will filter out any interference.
 If a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

Solutions for media cabling




Unfurnished Plates

The furnished plate shown here contains a selection of both single and twin width New Media™ modules.

The New Media™ range provides the installer with ultimate flexibility, allowing you to mix and match the connections you have on your wall plate.

All modules are available in white or black finishes to complement any installation.



All plates supplied with black and white gaskets where applicable. Above are some examples of New Media™ modules we offer, please see our dedicated New Media™ section for more information on the range of modules available.


Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures


Standards: BS 5733
Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): **1 Gang:** 88 (W) x 88 (H) x 8 (D) **2 Gang:** 146 (W) x 88 (H) x 8 (D)

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No.
AB Antique Brass, **BR** Polished Brass, **SB** Satin Brass, **CH** Polished Chrome, **SC** Satin Chrome, **BN** Black Nickel, **SS** Stainless Steel, **MB** Matt Black.

Selecting from a range of module inserts covering all manner of media transfer, installers will now be able to configure their own arrangement of television, radio or satellite reception, plus speaker, telephone and data outlets. All modules can be inserted into single or double wall plates and fitted onto standard switch and socket boxes.



WA375



WA370



MCP086

MCP085



WA671



WA672

For the complete range of back boxes see Essentials™ page N4.

Galvanised Boxes

- WA370 1 + 1 35mm Deep Dual Accessory Box (Deco® Range Only)
- WA375 1 + 2 35mm Deep Dual Accessory Box (Deco® Range Only)
- WA671 1 Gang 25mm Deep Architrave Box With 60.3mm Hole Centres
- WA672 2 Gang 25mm Deep Architrave Box With 120.6mm Hole Centres

Surface Mounting Boxes - Metal Clad Grey

- MCP085 1 Gang 40mm Deep Mounting Box
- MCP086 2 Gang 40mm Deep Mounting Box

Spacer Gaskets

- DP095BK 1 Gang 10mm Spacer Gasket - Black
- DP095GY 1 Gang 10mm Spacer Gasket - Grey
- DP095WH 1 Gang 10mm Spacer Gasket - White
- DP096BK 2 Gang 10mm Spacer Gasket - Black
- DP096GY 2 Gang 10mm Spacer Gasket - Grey
- DP096WH 2 Gang 10mm Spacer Gasket - White

Deco Plus® Gaskets

- SPO15 1 Gang Deco Plus® Gasket - Black
- SPO16 2 Gang Deco Plus® Gasket - Black
- SPO17 1 Gang Deco Plus® Gasket - White
- SPO18 2 Gang Deco Plus® Gasket - White
- SPO23 1 Gang Deco Plus® Gasket - Grey
- SPO24 2 Gang Deco Plus® Gasket - Grey

Standards: BS 4662

Dimensions (mm): 085: 88 (W) x 88 (H) x 40 (D) 086: 146 (W) x 88 (H) x 40 (D)
 370: 168 (W) x 74 (H) x 35 (D) 375: 228 (W) x 74 (H) x 35 (D) 671: 30 (W) x 73 (H) x 25 (D)
 672: 30 (W) x 135 (H) x 25 (D) 095: 94.3 (W) x 94.3 (H) x 11 (D) 096: 154.3 (W) x 94.3 (H) x 11 (D)