


OVIA




Pendant & Suspended Lighting



230V Long Pendant Fitting

code	no. of lamps	lampholder type	max wattage
PS005AL	1	ES27	60W

Lamp sold separately, please see the Energetic catalogue for more details.
LED option for PS005AL fitting is available on page b22.



Available Finishes



Aluminium




Product Approvals
Complies with BS EN 60598.

PENDANT & SUSPENDED

Spun Aluminium Pendant Fittings

OVIA



230V Long Pendant Fitting

code	no. of lamps	lampholder type	max wattage
PS010AL	1	ES27	60W

Lamp sold separately, please see the Energetic catalogue for more details.

LED option for PS010AL fitting is available on page b23.

Available Finishes

AL

Aluminium

Product Approvals
Complies with BS EN 60598.





230V Dome Pendant Fitting


code	no. of lamps	lampholder type	max wattage
PS015AL	1	ES	60W

Lamp sold separately, please see the Energetic catalogue for more details.
LED option for PS015AL fitting is available on page b24.

Available Finishes



Aluminium




Product Approvals
Complies with BS EN 60598.

PENDANT & SUSPENDED

Spun Aluminium Pendant Fittings

OVIA



230V Dome Pendant Fitting

code	no. of lamps	lampholder type	max wattage
PS020AL	1	ES	60W

Lamp sold separately, please see the Energetic catalogue for more details.

LED option for PS020AL fitting is available on page b25.

Available Finishes

AL

Aluminium

Product Approvals
Complies with BS EN 60598.





230V Contour Pendant Fitting Enclosed with Clear Glass


code	no. of lamps	lampholder type	max wattage
PS025AL	1	ES	60W

Lamp sold separately, please see the Energetic catalogue for more details.
LED option for PS025AL fitting is available on page b26.


Available Finishes



Aluminium



Product Approvals
Complies with BS EN 60598.



230V Clamped Pendant Fitting Enclosed with Frosted Glass

code	no. of lamps	lampholder type	max wattage
PS030AL	1	ES	60W

Lamp sold separately, please see the Energetic catalogue for more details.

LED option for PS030AL fitting is available on page b27.

Product Approvals
Complies with BS EN 60598.



Available Finishes





Product Approvals
Complies with BS EN 60598.



PENDANT & SUSPENDED
Klarheit Suspended Light





230V 'Klarheit' Low Energy Suspended Light

code	no. of lamps	lampholder type	max wattage
LE530SV Lamps not included.	2	T5 (849MM)	2 x 39W

Available Finishes



Silver



Drop = 150mm to 1500mm

A large area of horizontal light blue lines for writing notes, spanning most of the page width and height.